



AirLink Ilife Inc
Networking | 4G IP Camera | Smart Home IOT
www.airlink-ilife.com sales@airlinkwifi.net

4G LTE Smart Radar Detection PTZ Sped Dome 5 X Zoom Camera

AIRLINK www.airlink-ilife.com sales@airlinkwifi.net

4G, PTZ, Night Vision, TF Card, Motion Detection, 5X Zoom, 360° Rotation, Intelligent design (day and night full color)

PTZ Dome Zoom x 5

Microwave detection
Receive echo
Trigger alarm
White light alert





Features;

- Support 3G/4G, support AP mode;
- Support up to 128G TF card storage;
- 2.7-13.5 mm 5 X optical zoom auto focus lens;**
- Radar detects moving body and turns on white light alert**
- Colorful all day**
- Clear audio listen**
- Pan tilt control, horizontal: 355° & vertical:90°
- Waterproof IP66;
- 6pcs array infrared LEDs, 90m Night Vision;
- Support P2P. view & anywhere & anytime;
- Elegant outline and easy installation;
- Provide android & ios APP and professional CMS, PC client software;
- Widely use on open area like construction site, farm, forest, fishing pond...

ASP69 2.0MP Specifications;

Camera

Operating system	Embedded Linux OS
Processor	HI3516C
Sensor	1/2.8" SONY323 Low Lux CMOS.
Lens interface type	M12
Lens	2.7-13.5mm 5X optical zoom auto focus lens
View angle	89.9°-26.2°
Min.illumination	0.01 lux/0lux (IR on)
Day&Night mode	Colorful all day
Sensors	Radar detects moving body and turns on white light alert
Night vision distance	6pcs array IR LEDs. IR radiation distance 60m



AirLink Ilife Inc
Networking | 4G IP Camera | Smart Home IOT
www.airlink-ilife.com sales@airlinkwifi.net

Video

Video compression	H.264
Video streaming	Three streaming
Video resolution	First stream:1080P(1920x1080), 720P(1280x720), Q720P(640x352) Second stream:720P(640x352), QQ720P(320x176) Third stream: 720P(320x176)
Video code rate	32~8192Kbps. supports constant bitrate/variable bitrate
Video frame rate	20fps
Image settings	Brightness, saturation, contrast, Sharpness, Exposure, flip, mirror
Image enhancement	Backlight compensation, Automatic white balance, Digital WDR, 3D digital noise reduction

Function

Motion detecting	Set 4 independent detection region (1-100 sensitivity can be set)
Alarm linkage	Alarm send pictures to the specified mailbox, alarm upload pictures and videos to the FTP server, alarm write pictures and videos to Micro SD card, alarm mobile phone message push
Privacy mask	Maximum support 4 users to simultaneously browse
OSD	Support camera name, date and time information superimposed
User management	Supports user and rights management
Simultaneous viewers	Maximum support 4 users to simultaneously browse
Network protocol	TCP/IP, HTTP, TCP, ICMP, UDP, ARP, IGMP, SMTP, FTP, DHCP, DNS, DDNS, NTP, UPNP, RTSP etc
Connection protocol	Support ONVIF 2.1(backward compatible)

4G



AirLink Ilife Inc
Networking | 4G IP Camera | Smart Home IOT
www.airlink-ilife.com sales@airlinkwifi.net

4G standard	FDD-LTE
Frequency range	B1(2100MHz), B3(1800MHz), B7(2600MHz), B8(900MHz), B20(800MHz)
Transmission rate	Upload max:50Mbps, download max: 150Mbps
Security	WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

3G

3G standard	WCDMA
Frequency range	B1(2100MHz), B8(900MHz)
Transmission rate	Upload max:5.76Mbps, download max: 21Mbps
Security	WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

PTZ

Rotation angle	Horizon:0~355°. Vertical:0~90°
Horizontal speed	40°/S
Vertical speed	20°/S
Preset	Support 8 preset points

Interface

Power interface	5.5mm power interface
TF card Slot	Maximum support 128G TF card, can set the automatic capture and timer recording
Reset button	Support

General specification

Power supply	DC 12V 2A
power	Day:<3W, Night:<12W



AirLink Ilife Inc
Networking | 4G IP Camera | Smart Home IOT
www.airlink-ilife.com sales@airlinkwifi.net

Operating temperature	-20°C~+60°C(-4°F~+140°F)
Operating humidity	10%~95%(non-condensing)
Waterproof level	IP66
Material	Aluminum
Installation	Rack mounting
Product size(W×D×H)(mm)	239*137*215
Product weight(kg)	3.6 kgs
Accessories	1*1.5m Power supply, 1*CD, 1bag*Screws, 1*antenna, 1*manual
Package Size(W×D×H)(mm)	260x230x170
Package Weight(kg)	4 kg



AirLink Ilife Inc

Networking | 4G IP Camera | Smart Home IOT

www.airlink-ilife.com sales@airlinkwifi.net

